
INTRODUCTION OF BC PPRODUCTS

BC HATCH COVER TAPE

General

BC Hatch Cover Sealing Tape is composed of PVC backing and rubberized mastic reinforced by woven polyester. These combine to produce tapes capable of withstanding the harshest conditions while providing hatch joints with a watertight seal. It has various qualities, sizes & pickings to comply with individual requirements.

Characteristics

Thoroughly tested & reinforced tapes with good adhesion and flexibility

Easy to apply - no preheating of covers

"Roll Type" - less waste, less overlap and more security

Available in medium, heavy and super heavy-duty qualities

- **BC Marine Premium** - Medium Duty Hatch Cover Sealing Tape, roll & strip type.
 - 3, 4, 6" width and 3mm thickness, however, thoroughly tested with good adhesion and longer length at a competitive price.

- **BC Marine Tape** - Heavy Duty Hatch Cover Sealing Tape, roll & strip type.
 - 3, 4, 6" width and 4mm thickness with more security & strength.

- **BC Marine Sealant** - Super-heavy Duty Hatch Cover Sealing Tape, only strip type.
 - 3, 4, 6" width and 5mm thickness with the best adhesion & the strength of strong sealants.

INTRODUCTION OF BC PPRODUCTS

BC HATCH COVER TAPE

Size / Packing

□ *Sheet (Strip) Type*

Item Goods	ISSA Code	Description (WxTxL)	Sheets/Box	IMPA Code
BC Marine Premium	43.003.09	76mm	80 (96m)	23.24.67
	10	101mm x 3mm x 1.2m	60 (72m)	68
	11	152mm	40 (48m)	69
BC Marine Tape	43.003.12	76mm	60 (72m)	23.24.74
	13	101mm x 4mm x 1.2m	45 (54m)	75
	14	152mm	30 (36m)	76
BC Marine Sealant	43.003.15	76mm	48 (57.6m)	23.24.77
	16	101mm x 5mm x 1.2m	36 (43.2m)	78
	17	152mm	24 (28.8m)	79

□ *Roll Type*

Item Goods	ISSA Code	Description (WxTxL)	Rolls/Box	IMPA Code
BC Marine Premium	43.003.18	76mm	4 (96m)	23.24.58
	19	101mm x 3mm x 24m	3 (72m)	59
	20	152mm	2 (48m)	60
BC Marine Tape	43.003.21	76mm	4 (72m)	23.24.64
	22	101mm x 4mm x 18m	3 (54m)	65
	23	152mm	2 (36m)	66

INTRODUCTION OF BC PPRODUCTS

BC HATCH COVER TAPE

Application

- **SURFACE PREPARATION:** Surface to be applied with BC Hatch Cover Sealing Tape should be completely dry and clean. Do not apply the product to wet or damp surface. Remove any loose & heavy rust, flaky paint and foreign materials by either scraping or brushing. The cleaner the joint better the seal.

- **WORKING CONDITIONS:** The best working condition is when it is fairly warm. In hot weather, the material tends to soften. Keep the tape in a cool area or shade until ready to use. In cold weather, the material stiffens, which precludes proper adhesion when the tape is applied. Storing it in a heated area should be adequate prior to installation.

- **APPLICATION & REMOVAL:** Peel off the release paper and center the tape over the hatch joint. Press the tape firmly into place while continuing to unroll or take new sheet and peel the desired length. It is important to keep the tape centered over the hatch joint during the application process and to recheck the tape periodically. Hatch Cover Sealing Tape may be cut with either a knife or scissors when small pieces are needed.

The easiest method of removing the tape is by using a long-handled scraper with a blade approx. 6" wide. Scraping the tape up will leave a thin residue of adhesive still on joints. This will serve to prevent rust and will make the next application easier and faster.

- **STORAGE:** Store in a cool, dry, ventilated area protected from the elements.
Do not stock cartons over six high.

- **LIMITATIONS:** Hatch Cover Sealing Tape "Roll Type" is not designed as a replacement for the hatch cover's primary sealing system. Its purpose is to act as an added protection against moisture intrusion.

INTRODUCTION OF BC PPRODUCTS

BC HATCH COVER TAPE

Information

□ *Comparison of Type & Size among three*

Type Goods	Roll Type	Strip Type
Diplomatic Marine, USA	<p><u>Maritape 40</u> 4" x 2mm x 15.25m 4rls (61m) 6" x 2mm x 15.25m 4rls (61m)</p> <p><u>Maritape 60</u> 4" x 3mm x 11m 4rls (44m) 6" x 3mm x 11m 4rls (44m)</p>	<p><u>Ramnek</u> 3" x 5mm x 1.2m 60's (72m) 4" x 5mm x 1.2m 30's (36m) 6" x 5mm x 1.2m 30's (36m)</p>
Cullen Metcalfe & Co.	<p><u>Dry Cargo SD (Standard Duty)</u> 3" x 2mm x 20m 4rls (80m) 4" x 2mm x 20m 3rls (60m) 6" x 2mm x 20m 2rls (40m)</p> <p><u>Dry Cargo HD (Heavy Duty)</u> 3" x 3mm x 20m 4rls (80m) 4" x 3mm x 20m 3rls (60m) 6" x 3mm x 20m 2rls (40m)</p>	- Non -
BC Taechang Ind. Corp., Korea	<p><u>BC Marine Premium</u> 3" x 3mm x 24m 4rls (96m) 4" x 3mm x 24m 3rls (72m) 6" x 3mm x 24m 2rls (48m)</p> <p><u>BC Marine Tape</u> 3" x 4mm x 18m 4rls (72m) 4" x 4mm x 18m 3rls (54m) 6" x 4mm x 18m 2rls (36m)</p>	<p><u>BC Marine Premium</u> 3" x 3mm x 1.2m 80's (96m) 4" x 3mm x 1.2m 60's (72m) 6" x 3mm x 1.2m 40's (48m)</p> <p><u>BC Marine Tape</u> 3" x 4mm x 1.2m 60's (72m) 4" x 4mm x 1.2m 45's (54m) 6" x 4mm x 1.2m 30's (36m)</p> <p><u>BC Marine Sealant</u> 3" x 5mm x 1.2m 48's (57.6m) 4" x 5mm x 1.2m 36's (43.2m) 6" x 5mm x 1.2m 24's (28.8m)</p>
Insulmastic	<p><u>CanSeal-R Roll Marine Tape</u> 4" x 3mm x 20m 3rls (60m) 6" x 3mm x 20m 2rls (40m)</p>	<p><u>CanSeal Marine Tape</u> 4" x 5mm x 1.2m 30's (36m) 6" x 5mm x 1.2m 30's (36m)</p>